

Bright Energy Air Coolers



Refreshing Air In Your Environment !!!

A Complete Range of Industrial & Commercial Air Coolers



Your Reliable Solution For Cooling & Global Warming

ANTARCTICA®









Adjustable air quantities to suit all weather



Oxygen rich fresh air delivered to you



Less than 1/30 the cost of refrigerated air conditioning to run



A complete natural process




All 100% fresh outside air

HSN CODE **8479**

Technical Specifications	AntarcticA®	
Motor Type / Winding	Single Phase-3 Speed / Copper	
RPM / Wattage / HP	900 / 490* W / 0.67* Hp	
Fan Type / Size / Noise	Aluminium Axial Fan/30 Inch/68* db	
Air Flow / CFM	18000* CMH / 10500* CFM	
Cooling Pad Size	1095 x 100 x 1180 mm	
Physical Parameters	Dimensions (mm)	Weight (Kg)
AK09 PC (Grill) LC (Louver)	1130 x 600 x 1550	49
LC (Louver)	1130 x 705 x 1550	54
AK12 PC (Grill) LC (Louver)	1130 x 600 x 1785	56
	1130 x 705 x 1785	61
AK20 PC (Grill) LC (Louver)	1130 x 600 x 1985	62
	1130 x 705 x 1985	67





HIMALAYA®









Adjustable air quantities to suit all weather



Oxygen rich fresh air delivered to you



Less than 1/30 the cost of refrigerated air conditioning to run



A complete natural process




All 100% fresh outside air

HSN CODE **8479**

Technical Specifications	HIMALAY A ®	
Motor Type / Winding	Single Phase-3 Speed / Copper	
RPM / Wattage / HP	900 / 175* W / 0.24* Hp	
Fan Type / Size / Noise	Axial Fan / 21 Inch / 63* db	
Air Flow / CFM	6000* CMH / 3530* CFM	
Cooling Pad Size	770 x 100 x 700 mm	
Physical Parameters	Dimensions (mm)	Weight (Kg)
HK03 PC (Grill) LC (Louver)	850 x 480 x 1240	29
	850 x 480 x 12405	31
HK06 PC (Grill) LC (Louver)	850 x 480 x 1440	30
	850 x 480 x 1440	32
HK17 PC (Grill) LC (Louver)	850 x 480 x 1745	34






TENTCOOLER®









Adjustable air quantities to suit all weather



Oxygen rich fresh air delivered to you



Less than 1/30 the cost of refrigerated air conditioning to run



A complete natural process




All 100% fresh outside air

HSN CODE **8479**

Technical Specifications	TentcooleR®	
Motor Type / Winding	Single Phase-3 Speed/Aluminium	
RPM / Wattage / HP	900 / 490* W / 0.67* Hp	
Fan Type / Size / Noise	Plastic Axial Fan/30 Inch/68* db	
Air Flow / CFM	18000* CMH / 10500* CFM	
Cooling Pad Size	1095 x 100 x 1180 mm	
Physical Parameters	Dimensions (mm)	Weight (Kg)
TK09 PB (Grill) LB (Louver)	1130 x 600 x 1550	46
LB (Louver)	1130 x 705 x 1550	51
TK12 PB (Grill) LB (Louver)	1130 x 600 x 1680	48
	1130 x 705 x 1680	53
TK20 PB (Grill) LB (Louver)	1130 x 600 x 1880	54
	1130 x 705 x 1880	59






MASTCOOLER®









Adjustable air quantities to suit all weather



Oxygen rich fresh air delivered to you



Less than 1/30 the cost of refrigerated air conditioning to run



A complete natural process




All 100% fresh outside air



Technical Specifications	Mastcoole R [®]	
Motor Type / Winding	Single Phase-1 & 3 Speed/Aluminium	
RPM / Wattage / HP	900 / 490* W / 0.67* Hp	
Fan Type / Size / Noise	Plastic Axial Fan/30 Inch/68* db	
Air Flow / CFM	18000* CMH / 10500* CFM	
Cooling Pad Size	1095 x 100 x 1180 mm	
Physical Parameters	Dimensions (mm)	Weight (Kg)
K109MW (Grill)	1130 x 600 x 1550	42
K309LW (Louver)	1130 x 705 x 1550	47
K112MW (Grill)	1130 x 600 x 1680	49
K312LW (Louver)	1130 x 705 x 1680	54
K120MW (Grill)	1130 x 600 x 1880	55
K320LW (Louver)	1130 x 705 x 1880	60





Utilities

Bright Energy Air Coolers





































OFFICE AND CONTACT
Bright Energy Company WLL
Fahaheel, Kuwait

Mobile: +965 99440497

